



<b>Product Certificate Number</b>	<b>20164-CER</b>
<b>Applicant</b>	Ingeteam Power Technology S.A. - Energy Avenida Ciudad De La Innovación, 13. 31621. Sarriguren. Navarra. SPAIN
<b>Model/</b>	INGECON SUN 100TL
<b>Series/</b>	INGECON SUN 3Play TL
<b>Type of generating unit</b>	Photovoltaic Inverter
<b>Technical Data</b>	See page 2
<b>Network connection rule</b>	<b>Allegato A.68; Guida Tecnica:</b> “Centrali Fotovoltaiche Condizioni generali di connessione alle reti AT Sistemi di protezione regolazione e controllo. Rev.02_25/07/2018
<p>Having assessed the test report number: 20164-TR performed by Certification Entity for Renewable Energies, S.L. based on the requirements of the EN ISO/IEC 17025:2005.</p> <p>The above-mentioned generating unit complies with the requirements of the: <b>Allegato A.68</b>; Guida Tecnica: “Centrali Fotovoltaiche Condizioni generali di connessione alle reti AT Sistemi di protezione regolazione e controllo. Rev.02_25/07/2018.</p> <p>This certification is according the CERE internal process PET-CERE-09 Rev 14 based on the requirements of the EN ISO/IEC 17065:2012. For this certification process the conformity assessment activities were based on:</p> <ul style="list-style-type: none"><li>• Testing of production samples selected by CERE.</li><li>• Audit of quality system according ISO 9001: Issued by a certification body accredited according EN ISO/IEC 17021.</li><li>• Inspection of the manufacturing process.</li></ul>	
<p>Madrid, November 15, 2018. This certificate is valid until November 15, 2021</p> <p style="text-align: right;">Miguel Martínez Lavin Certification Manager</p>	

**INGETEAM / INGECON SUN 100TL**

<b>DC INPUT</b>					
Recommended PV-Power	92.7 - 160 kWp	97.9 - 160 kWp	103-160 kWp	108.2 - 160 kWp	113.3 - 160 kWp
Voltage range MPP	513 - 850 V	541.5 - 850 V	570 - 850 V	598.5 - 850 V	627 - 850 V
Maximum Voltage	1100 V				
Max. DC Current	185 A				
Max. DC short-circuit Current	240 A				
Inputs (STD / PRO)	1/24				
MPPT	1				
<b>AC OUTPUT</b>					
Rated Power @ rated Vac	90 kW	95 kW	100 kW	105 kW	110 kW
Max. temperature @ rated P	50°C				
Max. Current	145 A				
Rated Voltage	360 V	380 V	400 V	420 V	440 V
Frequency	50 Hz				
Power Factor	1				
Power Factor adjustable	Yes. Smax=90 kVA Qmax=54 kVAR	Yes. Smax=95 kVA Qmax=57 kVAR	Yes. Smax=100 kVA Qmax=60 kVAR	Yes. Smax=105 kVA Qmax=63 kVAR	Yes. Smax=110 kVA Qmax=66 kVAR
THD	<3%				



# Electrical Diagram of INGETEAM INGECON SUN 100TL

