



| Product Certificate Number | 11505-20-CER  |  |  |  |
|----------------------------|---|--|--|--|
| Applicant                  | Ingeteam Power Technology S.A Energy<br>Avenida Ciudad De La Innovación, 13.<br>31621. Sarriguren. Navarra. SPAIN |  |  |  |
| Model/                     | INGECON SUN 100TL   |  |  |  |
| Series/                    | INGECON SUN 3Play TL Series   |  |  |  |
| Type of generating unit    | Photovoltaic Inverter   |  |  |  |
| Technical Data             | See page 2  |  |  |  |
| Network connection rule    | <b>PEA: 2013.</b> Grid Network Connection Requirements of Provincial Electricity Authority                        |  |  |  |

Having assessed the test report number: 11505-20-TR performed by Certification Entity for Renewable Energies, S.L. (EA Acredited Laboratory N° 1239/LE2396) based on the requirements of the EN ISO/IEC 17025:2005.

The above-mentioned generating unit complies with the requirements of the: **PEA: 2013.** Grid Network Connection Requirements of Provincial Electricity Authority

This certification is according the CERE internal process PET-CERE-09 Rev 10 based on the requirements of the EN ISO/IEC 17065:2012. For this certification process the conformity assessment activities were based on:

- Testing of production samples selected by CERE.
- Audit of quality system according ISO 9001 with certificate number: 0. 04. 12231 issued by a certification body accredited according EN ISO/IEC 17021.
- Inspection of the manufacturing process.

Madrid at August 02, 2017. This certificate is valid until August 02, 2020

Miguel Martínez Lavin Certification Manager






## **INGETEAM INGECON SUN 100TL**

| DC INPUT                      |                                     |                                     |                                      |                                      |   |  |  |
|-------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|---|--|--|
| Recommended PV-Power          | 92.7 - 160 kWp                      | 97.9 - 160 kWp                      | 103-160 kWp                          | 108.2 - 160 kWp                      | 113.3 - 160 kWp                         |  |  |
| Voltage range MPP             | 513 - 850 V                         | 541.5 - 850 V                       | 570 - 850 V                          | 598.5 - 850 V                        | 627 - 850 V                             |  |  |
| Maximum Voltage               | 1100 V                              |                                     |                                      |                                      |   |  |  |
| Max. DC Current               | 185 A                               |                                     |                                      |                                      |   |  |  |
| Max. DC short-circuit Current | 240 A                               |                                     |                                      |                                      |   |  |  |
| Inputs (STD / PRO)            | 1/24                                |                                     |                                      |                                      |   |  |  |
| MPPT                          | 1                                   |                                     |                                      |                                      |   |  |  |
| AC OUTPUT                     |                                     |                                     |                                      |                                      |   |  |  |
| Rated Power @ rated Vac       | 90 kW                               | 95 kW                               | 100 kW                               | 105 kW                               | 110 kW                                  |  |  |
| Max. temperature @ rated P    | 50°C                                |                                     |                                      |                                      |   |  |  |
| Max. Current                  | 145 A                               |                                     |                                      |                                      |   |  |  |
| Rated Voltage                 | 360 V                               | 380 V                               | 400 V                                | 420 V                                | 440 V                                   |  |  |
| Frequency                     | 50 Hz                               |                                     |                                      |                                      |   |  |  |
| Power Factor                  | 1                                   |                                     |                                      |                                      |   |  |  |
| Power Factor adjustable       | Yes. Smax=90<br>kVA<br>Qmax=54 kVAR | Yes. Smax=95<br>kVA<br>Qmax=57 kVAR | Yes. Smax=100<br>kVA<br>Qmax=60 kVAR | Yes. Smax=105<br>kVA<br>Qmax=63 kVAR | Yes. Smax=110<br>kVA<br>Qmax=66<br>kVAR |  |  |
| THD                           | <3%                                 |                                     |                                      |                                      |   |  |  |





## Electrical Diagram of INGETEAM INGECON SUN 100TL



Manufacturer: Ingeteam Power Technology S.A. Pol. Ind. El Juncanillo nave 1

E-31293. Sesma. Navarra. SPAIN

The sample selected to test was representative of the production. April 24, 2017 The sample was selected in manufacture facilities.

Sample Report Number: 11505-1-TM

The inspection of manufacturing process was performed in June 27, 2017 manufacture facilities:

Inspection Report Number: 11505-IF