

MV POWER STATION UP TO 5.4 MVA

PAD MOUNTED TRANSFORMER STATION WITH A GREATER POWER DENSITY

This brand new medium voltage solution integrates all the devices required for a multimegawatt system.

Maximize your investment with a minimal effort

Ingeteam's Power Station is a compact, customizable and flexible solution that can be configured to suit each customer's requirements. It is supplied together with one central PV inverter. All the equipment is suitable for outdoor installation, so there is no need of any kind of housing.

Higher adaptability and power density

This Power Station is now more versatile, as it presents only two elements: the pad-mounted transformer and a central inverter that features the auxiliary services panel and the auxiliary services transformer in-stalled inside the inverter. Moreover, it features a great power density: 503 kW/m³.

Complete accessibility


Thanks to the lack of housing, the inverter and the pad-mounted transformer with the integrated MV protections can have immediate access. Furthermore, the design of the C Series central inverter has been conceived to facilitate maintenance and repair works.

Maximum protection

Ingeteam's C Series central inverters integrate the latest generation electronics and a much more efficient electronic protection. Apart from that, they feature the main electrical protections and they deploy grid support functionalities, such as low voltage ridethrough capability, reactive power deliverance and active power injection control. Furthermore, the electrical connection between the inverters and the transformer is fully protected from direct contact.



Pad mounted transformer station with a greater power density



INGECON

Construction


- Suitable for slab or piers mounting.
- Compact design, minimizing freight costs.

Standard equipment

- One central PV inverter up to 5.4 MVA.
- 34.5 kV pad-mounted transformer.
- Self-powered auxiliary services panel.
- 16 kVA ancillary transformer (5 kVA for customer needs at 120 V)
- Power plant commissioning services.

Optional auxiliary services

- MCB protection
- Surge arrester type II
- Comms switch Ethernet-F.O.
- RTU 8DI 24VDC
- Auxiliary circuits & US socket
- Up to 60 kVA ancillary transformer (45 kVA for customer needs: 40 kVA at 480 V + 5 kVA at 120 V)



	PMT 5030	PMT 5150	PMT 5270
GENERAL DATA			
Number of inverters	1		
Max. power @37 °C / 98,6 °F	5,030 kVA	5,150 kVA	5,270 kVA
Operating temperature range	from -4 °F to +122 °F		
Relative humidity (non-condensing)	0 - 100%		
Maximum altitude	3,000 masl (power derating starting at 1,000 masl)		
STEP-UP TRANSFORMER			
AC voltage	645 V / 34.5kV	660 V / 34.5 kV	675 V / 34.5 kV
Cooling system	KNAN		
Vector group	Dy11		
System impedance	7-8 %		
Transformer no load taps	±2.5%, ±5.0%		
MV connection	600 A, dead front, loop feed bushings		
MV fusing	overcurrent protection oil immersed expulsion fuse with ELSP current-limiting backup fuse		
MV disconnect	Two-position, 200 A, under oil load break switch		
Efficiency at 100% load	99%		
EQUIPMENT			
Inverters	INGECON® SUN 3Power U C Series inverters		
Auxiliary services panel	Self powered version		
Step-up transformer	Pad mounted transformer		

MECHANICAL INFORMATION

Dimensions (L x W x H) 9,668 x 2,312 x 2,956 mm

Standards IEC 62116, UL1741-SB, IEEE1547, IEEE1547.1, NEC CODE, Electric Rule 21: 2015, CSA22.2 No107



EUROPE

Ingeteam Power Technology, S.A. Avda. Ciudad de la Innovación, 13 31621 Sarriguren (Navarra) - Spain Tel.: +34 948 288 000 Fax: +34 948 288 001 e-mail: evc.energy@ingeteam.com

Ingeteam S.r.I.

Via Emilia Ponente, 232 48014 Castel Bolognese (RA) - Italy Tel.: +39 0546 651 490 Fax: +39 054 665 5391 e-mail: emobility.italia@ingeteam.com

Ingeteam SAS

140 Rue Carmin - Le Naurouze B 31670 Labège - France Tel.: +33 (0)5 61 25 00 00 Fax: +33 (0)5 61 25 00 11 e-mail: france@ingeteam.com

Ingeteam, a.s.

Technologická 371/1 70800 Ostrava - Pustkovec Czech Republic Tel.: +420 59 747 6800 Fax: +420 59 732 6899 e-mail: czech@ingeteam.com

Ingeteam GmbH Grand Bateau – Zollhof 6 D-40221 – Düsseldorf, Germany Tel.: +49 (0) 211 78177950 e-mail: deutschland@ingeteam.com

Ingeteam Poland Spzoo Ul. Koszykowa 60/62 m 39 00-673, Warsaw, Poland Tel.: (+48) 22 821 99 30 e-mail: polska@ingeteam.com

Ingeteam LTD.

Unit 10 Gordano 19, Garanor Way, Portbury Bristol, BS20 TXE - United Kingdom Tel.: +44 (0) 331 630 0305

NORTH AMERICA

Ingeteam Inc. 3550 W. Canal St

Milwaukee, WI 53208 - USA Tel.: +1 (414) 934 4100 / +1 (855) 821 7190 Fax: +1 (414) 342 0736

e-mail: usa@ingeteam.com

Ingeteam Power Technology México S de RL de CV

Av. Ejército Nacional Mexicano 351, Chapultepec Morales, Granada, Miguel Hidalgo, CP: 11520 Ciudad de México, CDMX Tel.: (+52) 55 6586 9930 e-mail: proveedores.iptm@ingeteam.com

SOUTH AMERICA

Ingeteam Ltda. Rua Estácio de Sá, 560 Santa Genebra Campinas - SP CEP: 13080-010; São Paulo - Brazil Tel.: (+55) 19 30 37 37 73 e-mail: brazil@ingeteam.com

Ingeteam Chile SpA

Balmoral n.º 309, Piso 10°, Oficina 1008, 7561282 Las Condes Santiago, Chile Tel.: (+56) 229 253 825 e-mail: chile@ingeteam.com

ASIA

Ingeteam Power Technology Shanghai, Co. Ltd. Room 2606-F, No.360 South Pudong Road China (Shanghai) pilot free trade zone C.P 200120 Tel.: +86 139 1622 4886 e-mail: liu.yimin@ingeteam.com

Ingeteam India Pvt. Ltd. Survey No. 111/1-111/3 & 111/5-111/7, Village No.155, Mambakkam Village, Chennai - Bangalore Main Road, Sriperumbudur Taluk,

Kancheepuram District - 602106, Tamilnadu, India

Ingeteam Power Technology S.A. UAE Branch Al Bateen tower c6 Bainunah 1st floor Street 34 Abu Dhabi - UAE Tel.: +971 2 207 6666

Ingeteam Power Technology S.A. Thailand representative office 100/67 Vongvanij B Building, 22nd floor, Rama IX Road., HuayKwang, 10320 Bangkok Te.: +66 22461798 e-mail: Thailand.pga@ingeteam.com

AUSTRALIA

Ingeteam Australia Pty Ltd. laccelerate Centre, Building 239 Innovation Campus, Squires Way North Wollongong, NSW 2500 - Australia Tel.: +61 429 111 190 e-mail: australia@ingeteam.com

